

Hotebike Catalog

ZHUHAI SHUANGYE ELECTRICTRONIC TECHNOLOGY CO.,LTD

Shuangye is a professional manufacturer since 2006 specialized in electric bikes with self-research and design, provide one-stop OEM&ODM service.



About Us



SHUANGYE started from 2006. We are an electric bike manufacturer focusing on research and develop, produce and sell all kinds of electric bikes and related accessories.

Our factory is located in Zhuhai City Guangdong Province China, covering an area of 8,000 square meters with over 10 experts and 100 workers. In 2018, We became TUV & SGS Verified Supplier and Rewarded as“Quality Stable Enterprise”by Alibaba. Our ebikes with brand HOTEBIKE own the certificate of CE, UL, ROHS, GCC, SAA, IRAM, EN62133, ISO9001, MSDS, UN38.3 and Certificate for safe sea transport of goods.



In order to meet the market demands, we always improve and develop products by ourselves. Currently, we specialize in producing all kinds of electric bikes, such as electric mountain bike, electric fat tire bike, electric city bike, electric folding bike. With private mould and patents, we design and produce most bike frames by ourselves. Besides, the quality is assured as the electronic parts are all self-produced.

With professional team, trust-worthy factory and high quality products, we sincerely welcome customers contact us freely for more details.



CONTENT

01	Mountain E-BIKE	01
02	Road E-BIKE	08
03	Folding E-BIKE	09
04	City E-BIKE	13
05	Mid Drive Motor E-BIKE	19

06	Fat Tire E-BIKE	24
07	Electric Tricycle	39
08	E-scooter	41
09	Electric Bike Parts	45
10	Upgrade options	47



Mountain E-BIKE



Model	A6AH26
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/16.7AH Removable hidden Lithium battery
Frame Size	17/18/19inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35 /27.5*1.95/2.35 29*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Mountain E-BIKE



Model	A6AH26
Motor	48V 1000W rear brushless motor
Battery	48V 19.2/20/24/28.8AH Removable Lithium battery
Frame Size	17/18/19inch
Controller	48V intelligent brushless
Tire	26*2.35/27.5*1.95/29*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake/Hydraulic disc brake
Max speed	45km/h

Mountain E-BIKE



Model	A6AH26M
Motor	36V 250W/350W 48V 500W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/16.7AH Removable hidden Lithium battery
Frame Size	17/19inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/29*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Rim	Magnesium Aluminum Alloy
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Mountain E-BIKE



Model	A6AH26-S
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/11.6/13.4AH 48V 10/13/14.4/16.7AH Removable hidden Lithium battery
Frame Size	17/18/19inch
Controller	36V / 48V intelligent brushless
Tire	26*1.95/27.5*1.95/29*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 /8/9/21/24/27speed
Suspension	Full suspension (front and rear)
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Mountain E-BIKE



Model	A6AH26-SM
Motor	36V 250W/350W 48V 500W rear hub brushless motor
Battery	36V 10/11.6/13.4AH 48V 10/13/14.4/16.7AH Removable hidden Lithium battery
Frame Size	17/18/19inch
Controller	36V / 48V intelligent brushless
Tire	26*1.95/2.35 29*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 /8/9/21/24/27speed
Suspension	Full suspension (front and rear)
Front light	Front light with USB charge port
Rim	Magnesium Aluminum Alloy
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-35km/h

Mountain E-BIKE



Model	A6AB26
Motor	36V 250W/350W rear brushless motor
Battery	36V 8/10AH Bottle Removable Lithium battery
Frame Size	17/18 Inch
Controller	36V intelligent brushless
Tire	26*1.95/27.5*1.95 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/ 21 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD880/LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h

Mountain E-BIKE



Model	A6AD26
Motor	36V 250W/350W 48V500W/750W rear brushless motor
Battery	36V 8/10AH 48V10AH/13AH Removable Lithium battery
Frame Size	17/18 Inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/27.5*1.95 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/ 21 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD880/LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-40km/h

Road E-bike



Model	A6-R
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 8/10AH Lithium battery
Frame Size	700C*19 inch
Controller	36V intelligent brushless
Tire	700*28C/32C/35C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/9/18/21/27 speed
Fork	Aluminum alloy fork
Front light	Front light with USB charge port
Display	LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-30km/h

Folding E-BIKE



Model	G4
Motor	36V 250W/350W 48V 500W/750W Brushless motor
Battery	36V 10/13/14.4AH 48V 10/13/14.4AH Battery inside frame
Frame Size	26*17 Inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35 inch
Frame	Foldable, 6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Full Suspension
Front light	Front light with USB charge port
Display	LCD3 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Folding E-BIKE



Model	A1-7
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 10/11.6/13.4AH Removable Lithium battery
Controller	36V intelligent brushless
Tire	20"*1.75/2.125 inch
Frame	6061 aluminum alloy
Gear	SHIMANO Single/7 speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h

Folding E-BIKE



Model	A1-R
Motor	36V 250W/350W 48V500W/48V750W rear brushless motor
Battery	36V 10/13AH 48V10AH/13AH Hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*1.95/2.125 inch
Frame	Foldable, 6061 aluminum alloy
Handlebar	Aluminum alloy
Suspension	Full suspension
Gear	SHIMANO 7 gears
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-35km/h

Folding E-BIKE



Model	A2
Motor	36V 250W/350W rear hub brushless motor
Battery	36V 10AH Removable Lithium battery
Controller	36V intelligent brushless
Tire	20*1.75/1.95/2.125 inch
Frame	6061 aluminum alloy
Gear	Single/ SHIMANO 7 speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake
Max speed	25-30km/h

City E-BIKE



Model	A3AL24
Motor	36V 250W/350W rear brushless motor
Battery	36V 8AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	24*1.75/1.95 Inch
Frame	6061 aluminum alloy
Gear	Single/ Shimano 7 speed
Fork	Carbon steel fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	V brake / 160 disc brake
Max speed	25-30km/h

City E-BIKE



Model	A3AL24
Motor	36V 250W/350W rear brushless motor
Battery	36V 8/10AH Rear rack Lithium battery
Controller	36V intelligent brushless
Tire	24*1.75 Inch
Frame	6061 aluminum alloy
Gear	Single/ SHIMANO7 speed
Fork	Carbon steel fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	V brake / 160 disc brake
Max speed	25-30km/h

City E-BIKE



Model	A3AL28
Motor	36V 250W/350W rear brushless motor
Battery	36V 8/10AH/13AH Hidden lithium battery
Controller	36V intelligent brushless
Tire	700*38C/40C
Frame	6061 aluminum alloy
Gear	7 speed
Fork	Carbon steel fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-30km/h

City E-BIKE



Model	A5AH24
Motor	36V 250W/350W 48V 500W rear hub brushless motor
Battery	36V 10/13AH 48V 10/13AH Hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	24"1.75/1.95 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	front V brake, rear expanding brake
Max speed	25-35km/h

City E-BIKE



Model	A5AH26
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/15/16.7AH Removable hidden Lithium battery
Frame Size	18 Inch
Controller	36V/48V intelligent brushless
Tire	26*1.95/2.35 27.5*1.95/2.35 700*40C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

City E-BIKE



Model	A5-26
Motor	36V 250W/350W 48V 500W rear brushless motor
Battery	36V10/13AH 48V10AH/13AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	26*1.95 inch
Frame	6061 aluminum alloy
Gear	Single/ Shimano 7 speed
Fork	Carbon steel fork / Aluminum alloy fork
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 disc brake
Max speed	25-35km/h

Mid Drive Motor E-BIKE



Model	A6AH26MD
Motor	36V250W/350W Bafang Mid-drive motor
Battery	36V 10/11.6/13.4AH Removable hidden Lithium battery
Frame Size	18/19 Inch
Controller	Bafang 36V intelligent brushless
Tire	26"*1.95/27.5"*1.95/29"*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Crank	Bafang chainwheel and crank set
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-30km/h

Mid Drive Motor E-BIKE



Model	A6AH26MD
Motor	36V250W/350W Bafang Mid-drive motor
Battery	36V 10/13/ 14.4/15AH Removable hidden Lithium battery
Frame Size	18/19 Inch
Controller	Bafang 36V intelligent brushless
Tire	26"*1.95/27.5"*1.95/29"*2.1 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Crank	Bafang chainwheel and crank set
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-30km/h

Mid Drive Motor E-BIKE



Model	A6AH26MD-PRO
Motor	48V500W Bafang Mid-drive motor (insert into the frame)
Battery	48V 10/13/14.4/16.7AH Removable Lithium battery
Frame Size	18inch
Controller	Bafang 48V intelligent brushless
Tire	27.5*1.95/2.35 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Crank	Bafang chainwheel and crank set
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	35km/h

Mid Drive Motor E-BIKE



Model	A5AH26MD
Motor	36V250W/350W Bafang Mid-drive motor
Battery	36V 10/11.6/13.4AH Removable hidden Lithium battery
Frame Size	18 Inch
Controller	Bafang 36V intelligent brushless
Tire	26*1.95/ 27.5*1.95 / 700*40C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Crank	Bafang chainwheel and crank set
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-35km/h

Mid Drive Motor E-BIKE



Model	A5AH26MD-PRO
Motor	48V 500W Bafang M600 Mid-drive motor (insert into the frame)
Battery	48V 10/13/14.4/15/16.7AH Removable Lithium battery
Frame Size	18 Inch
Controller	Bafang 48V intelligent brushless
Tire	27.5*1.95/2.35 700*40C
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9 speed
Suspension	Suspension front fork
Front light	Front light with USB charge port
Display	Bafang LCD display
Throttle	Thumb Throttle/Twist Throttle
Crank	Bafang chainwheel and crank set
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	35km/h

Fat Tire E-BIKE



Model	A6AH20F
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/16.7AH Removable hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Fat Tire E-BIKE



Model	A6AH20F
Motor	48V 1000W/ 60V1000W rear brushless motor
Battery	48V24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	45km/h

Fat Tire E-BIKE



Model	Model A6AH20F-Dual Motor
Motor	48V 500W+48V 500W,48V 750W+48V 750W, 60V 750W+60V 750W
Battery	48V 24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	20*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake/Hydraulic disc brake
Max speed	40-55km/h
Stem	Adjust

Fat Tire E-BIKE



Model	A6AH20F
Motor	36V 250W/350W 48V 500W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/15/16.7AH Removable hidden Lithium battery
Controller	36V/ 48V intelligent brushless
Tire&Rim	20*4.0 inch/ Magnesium alloy wheel
Frame	6061 aluminum alloy
Rim	Magnesium Aluminum Alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h
Stem	Adjust

Fat Tire E-BIKE



Model	A6AH26F
Motor	36V 250W/350W 48V 500W/750W rear brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/15/16.7AH Removable hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27 speed
Fork	Aluminum alloy suspension fork
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h
Stem	Adjust

Fat Tire E-BIKE



Model	A7AT26
Motor	48V 1000W/ 60V1000W rear brushless motor
Battery	48V 24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/ 60V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake/Hydraulic disc brake
Max speed	40-45 km/h

Fat Tire E-BIKE



Model	Model A7AT26-Dual Motor
Motor	48V 500W+48V 500W,48V 750W+48V 750W, 60V 750W+60V 750W
Battery	48V 24/28.8AH 60V24AH Removable Lithium battery
Controller	48V/60V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake/Hydraulic disc brake
Max speed	40-55km/h
Stem	Adjust

Fat Tire E-BIKE



Model	A7AT26
Motor	60V 2000W rear brushless motor
Battery	60V 24AH Removable Triangle Lithium battery
Controller	60V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/ LCD8 display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	180 mechanical disc brake/ Hydraulic disc brake
Max speed	55km/h

Fat Tire E-BIKE



Model	A7AM20
Motor	36V 250W/350W 48V 500W/750w rear hub brushless motor
Battery	48V 10AH/13AH/14.4AH/16.7AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Fork	Carbon steel / Alumium alloy suspension
Front light	Front light with USB charge port
Display	LCD880/ LCD3 display 6 speed level
Throttle Thumb	Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Fat Tire E-BIKE



Model	S731
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4/16.7AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0/ 5.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Fork	Alumium alloy suspension
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-35km/h

Fat Tire E-BIKE



Model	S731
Motor	48V 500W/750w rear hub brushless motor
Battery	48V19.2/20/24AH Removable Lithium battery
Controller	48V intelligent brushless
Tire	20*4.0/ 5.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Fork	Alumium alloy suspension
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	35-40km/h

Fat Tire E-BIKE



Model	S732
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/11.6/13.4/15AH 48V 10/13/14.4AH Removable Lithium battery
Controller	36V/48V intelligent brushless
Tire	20*4.0/5.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Fork	Alumium alloy suspension
Front light	15W LED big front light
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Fat Tire E-BIKE



Model	A7AH20
Motor	36V 250W/350W 48V 500W/750W Brushless motor
Battery	36V 10/13/14.4AH 48V 10/13/14.4AH Battery inside frame
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7 speed
Front Fork	Aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Fat Tire E-BIKE



Model	A7AH20S
Motor	36V 250W/350W 48V 500W/750W Brushless motor
Battery	36V 10/13/14.4AH 48V 10/13/14.4AH Battery inside frame
Controller	36V/48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Suspension:	Front and Rear full Suspension
Gear	SHIMANO 7 speed
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Fat Tire E-BIKE



Model	G4F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/14.4AH 48V 10/13/14.4AH Battery inside frame
Controller	36V/48V intelligent brushless
Tire	26*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/8/9/21/24/27speed
Suspension	Full suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160/180 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Electric Tricycle



Model	ET-20F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/13.4/15AH 48V 10/13/14.4/16.7AH Removable Lithium Battery
Controller	48V intelligent brushless
Tire	20*4.0 inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/21 speed
Suspension	Front aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle	Thumb Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

Electric Tricycle



Model	ET-26F
Motor	36V 250W/350W 48V 500W/750W rear hub brushless motor
Battery	36V 10/13/13.4/15AH 48V 10/13/14.4/16.7AH Removable Lithium Battery
Controller	48V intelligent brushless
Tire	26*4.0 Inch
Frame	6061 aluminum alloy
Gear	SHIMANO 7/21 speed
Suspension	Front aluminum alloy Suspension
Front light	Front light with USB charge port
Display	LCD3/LCD8 Display 6 speed level
Throttle Thumb	Throttle/Twist Throttle
Charging hour	4-6h
Disc brake	160 mechanical disc brake/Hydraulic disc brake
Max speed	25-40km/h

E-Scooter



Model	A1-8
Motor	36V 250W/350W rear brushless motor
Battery	36V 8/10/13AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	8inch
Frame	6061 aluminum alloy
Rim	Aluminum Alloy
Gear	Single Speed
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	Mechanical disc brake
Max speed	25-30km/h

E-Scooter



Model	A1-8.5
Motor	36V 250W rear brushless motor
Battery	36V8/10/13AH Hidden Lithium battery
Controller	36V intelligent brushless
Tire	8.5inch
Frame	6061 aluminum alloy
Gear	Single Speed
Rim	Aluminum Alloy
Front light	Front light with USB charge port
Display	LCD880 display 6 speed level with Bluetooth function
Throttle	Twist Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25km/h

E-Scooter




Model	A1-10
Motor	36V 250W/350W 48V 500W rear brushless motor
Battery	36V 8AH/10/13AH 48V 10/13AH Hidden Lithium battery
Controller	36V/48V intelligent brushless
Tire	10inch
Frame	6061 aluminum alloy
Gear	Single Speed
Fork	suspention
Front light	Front light with USB charge port
Display	LCD 880 display 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h

E-Scooter



Model	A1-10 Dual Motor
Motor	48V 500W+48V 500W rear brushless motor
Battery	48v 10AH/13AH Hidden Lithium battery
Controller	48V intelligent brushless
Tire	10inch
Frame	6061 aluminum alloy
Gear	Single Speed
Rim	Aluminum Alloy
Front light	Front light with USB charge port
Display	LCD display 880 6 speed level
Throttle	Thumb Throttle
Charging hour	4-6h
Disc brake	mechanical disc brake
Max speed	25-35km/h

Electric Bike Parts



Electric Bike Battery



Upgrade Options



Quick release cable



Rear flashing light



Mudguard&Carrier



Delivery box & Rack



Color LCD8 display



Ajustable stem



Front basket



kenda tire



hydrualic brake



Torque Sensor

珠海双业电子科技有限公司

ZHUHAI SHUANGYE ELECTRICTRONIC TECHNOLOGY CO.,LTD

地址：广东省珠海市金湾区三灶镇兴荣路1号利康宝工业园

ADD: NO.1, Xingrong Road, Sanzao Town, Jinwan District, Zhuhai City, Guangdong Province, China.

TEL:+86-07567681208 +86-756-7681282 +86-13570696039

<http://www.zhsydz.com> E-mail:sy@zhsydz.com